Heading	Subheading	Description	Unit of	Custon	ns Duty	Excise Duty
			Quantity	Full	Pref	
(1)	(2)	(3)	(4)	(5)	(6)	(7)

SECTION XV

BASE METALS AND ARTICLES OF BASE METAL

Notes.

- 1. This Section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 32.07 to 32.10, 32.12, 32.13 or 32.15);
 - (b) Ferro-cerium or other pyrophoric alloys (heading 36.06);
 - (c) Headgear or parts thereof of heading 65.06 or 65.07;
 - (d) Umbrella frames or other articles of heading 66.03;
 - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 86.08) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 93.06) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (1) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles);
 - (n) Articles of Chapter 97 (for example, works of art).
- Throughout the Nomenclature, the expression "parts of general use" means:
 - (a) Articles of heading 73.07, 73.12, 73.15, 73.17 or 73.18 and similar articles of other base metal;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 91.14); and
 - (c) Articles of headings 83.01, 83.02, 83.08, 83.10 and frames and mirrors, of base metal, of heading 83.06.

In Chapters 73 to 76 and 78 to 82 (but not in heading 73.15) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

3. Throughout the Nomenclature, the expression "base metals" means: iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.

Heading	Subheading	Description	Unit of	Custon	ns Duty	Excise Duty
			Quantity	Full	Pref	
(1)	(2)	(3)	(4)	(5)	(6)	(7)

- 4. Throughout the Nomenclature, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).
- 5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
 - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
 - (c) In this Section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
- 6. Unless the context otherwise requires, any reference in the Nomenclature to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretative Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals.

For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
- (c) A cermet of heading 81.13 is regarded as a single base metal.
- 8. In this Section, the following expressions have the meanings hereby assigned to them:

(a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90 % or more by weight passes through a sieve having a mesh aperture of 1 mm.

Heading	Subheading	Description	Unit of	Custon	ns Duty	Excise Duty
			Quantity	Full	Pref	
(1)	(2)	(3)	(4)	(5)	(6)	(7)

Chapter 72

Iron and steel

Notes.

 In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 % by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 % of chromium
- not more than 6 % of manganese
- not more than 3 % of phosphorus
- not more than 8 % of silicon
- a total of not more than 10 % of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 % but not more than 30 % of manganese and otherwise conforming to the specification at (a) above

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 % or more of the element iron and one or more of the following:

- more than 10 % of chromium
- more than 30 % of manganese
- more than 3 % of phosphorus
- more than 8 % of silicon
- a total of more than 10 % of other elements, excluding carbon, subject to a maximum content of 10 % in the case of copper.

(d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 % or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1.2 % or less of carbon and 10.5 % or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

Heading	Subheading	Description	Unit of	Custon	ns Duty	Excise Duty
			Quantity	Full	Pref	
(1)	(2)	(3)	(4)	(5)	(6)	(7)

- 0.3 % or more of aluminium
- 0.0008 % or more of boron
- 0.3 % or more of chromium
- 0.3 % or more of cobalt
- 0.4 % or more of copper
- 0.4 % or more of lead
- 1.65 % or more of manganese
- 0.08 % or more of molybdenum
- 0.3 % or more of nickel
- 0.06 % or more of niobium
- 0.6 % or more of silicon
- 0.05 % or more of titanium
- 0.3 % or more of tungsten (wolfram)
- 0.1 % or more of vanadium
- 0.05 % or more of zirconium
- 0.1 % or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feederheads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90 % by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 % or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) crosssection, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Heading	Subheading	Description	Unit of	Custon	ns Duty	Excise Duty
			Quantity	Full	Pref	
(1)	(2)	(3)	(4)	(5)	(6)	(7)

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(1) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) Wire

Cold-formed products in coils, of any uniform solid crosssection along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

- Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Heading	Subheading	Description	Unit of	Custon	ns Duty	Excise Duty
			Quantity	Full	Pref	
(1)	(2)	(3)	(4)	(5)	(6)	(7)

Subheading Notes.

 In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 % of chromium
- more than 0.3 % of copper
- more than 0.3 % of nickel
- more than 0.1 % of any of the following elements: aluminium, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Non-alloy free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08 % or more of sulphur
- 0.1 % or more of lead
- more than 0.05 % of selenium
- more than 0.01 % of tellurium
- more than 0.05 % of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6 % but not more than 6 % of silicon and not more than 0.08 % of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0.6 % or more of carbon and 3 to 6 % of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7 % of carbon,
- 0.5 % or more but not more than 1.9 % of manganese, and
- 0.6 % or more but not more than 2.3 % of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1 (c) must each exceed 10 % by weight.

Heading	Subheading	Description	Unit of	Custon	ns Duty	Excise Duty
			Quantity	Full	Pref	
(1)	(2)	(3)	(4)	(5)	(6)	(7)

SUB-CHAPTER I

PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM

72.01		Pig iron and spiegeleisen in pigs, blocks or other primary forms.	
72.01	7201.10.00		TNE
	7201.10.00		TNE
	7201.50.00		TNE
	7201.30.00	- Anoy pig non, spiegeleisen	INL
72.02		Ferro-alloys.	
		- Ferro-manganese:	
	7202.11.00	Containing by weight more than 2 % of carbon	TNE
	7202.19.00	Other	TNE
		- Ferro-silicon:	
	7202.21.00	Containing by weight more than 55 % of silicon	TNE
	7202.29.00	Other	TNE
	7202.30.00	- Ferro-silico-manganese	TNE
		- Ferro-chromium:	
	7202.41.00	Containing by weight more than 4 % of carbon	TNE
	7202.49.00	Other	TNE
	7202.50.00	- Ferro-silico-chromium	TNE
	7202.60.00	- Ferro-nickel	TNE
	7202.70.00	- Ferro-molybdenum	TNE
	7202.80.00	- Ferro-tungsten and ferro-silico-tungsten	TNE
		- Other:	
	7202.91.00	Ferro-titanium and ferro-silico-titanium	TNE
	7202.92.00	Ferro-vanadium	TNE
	7202.93.00	Ferro-niobium	TNE
	7202.99.00	Other	TNE
72.03		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94 %, in lumps, pellets or similar forms.	
	7203.10.00	- Ferrous products obtained by direct reduction of iron ore	TNE
	7203.90.00	- Other	TNE
72.04		Ferrous waste and scrap; remelting scrap ingots of iron or steel.	
	7204.10.00	- Waste and scrap of cast iron	TNE
		- Waste and scrap of alloy steel:	
	7204.21.00	Of stainless steel	TNE
	7204.29.00	Other	TNE
	7204.30.00	- Waste and scrap of tinned iron or steel	TNE

Heading	Subheading	Description	Unit of		ns Duty	Excise Duty
(1)	(2)	(3)	Quantity (4)	Full (5)	Pref	(7)
(1)	(2)	(3)	(4)	(3)	(6)	(7)
		- Other waste and scrap:				
	7204.41.00	Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles	TNE			
	7204.49.00	Other	TNE			
	7204.50.00	- Remelting scrap ingots	TNE			
72.05		Granules and powders, of pig iron, spiegeleisen, iron or steel.				
	7205.10.00	- Granules	TNE			
		- Powders:				
	7205.21.00	Of alloy steel	TNE			
	7205.29.00	Other	TNE			
		SUB-CHAPTER II				
		IRON AND NON-ALLOY STEEL				
72.06		Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).				
	7206.10	- Ingots:				
	7206.10.10	Containing by weight more than 0.6 % of carbon	TNE			
	7206.10.90	Other	TNE			
	7206.90.00	- Other	TNE			
72.07		Semi-finished products of iron or non-alloy steel.				
		- Containing by weight less than 0.25 % of carbon:				
	7207.11.00	Of rectangular (including square) cross-section, the width measuring less than twice the thickness	TNE			
	7207.12	Other, of rectangular (other than square) cross-section:				
	7207.12.10	Slabs	TNE			
	7207.12.90	Other	TNE			
	7207.19.00	Other	TNE			
	7207.20	- Containing by weight 0.25 % or more of carbon:				
		Containing by weight less than 0.6 % of carbon:				
	7207.20.10	Slabs	TNE			
		Other:				
	7207.20.21	Blocks roughly shaped by forging; sheet bars	TNE			
	7207.20.29	Other	TNE			
		Other:				
	7207.20.91	Slabs	TNE			
		Other:				

TNE

TNE

7207.20.92 ---- Blocks roughly shaped by forging; sheet bars

7207.20.99 ---- Other

Excise Duty

(7)

Customs Duty Full Pref (5) (6)

Unit of

(1)	Sublicating (2)	Description (2)	Quantity
(1)	(2)	(3)	(4)
72.08		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.	
	7208.10.00	- In coils, not further worked than hot-rolled, with patterns in relief	TNE
		- Other, in coils, not further worked than hot-rolled, pickled:	
	7208.25.00	Of a thickness of 4.75 mm or more	TNE
	7208.26.00	Of a thickness of 3 mm or more but less than 4.75 mm	TNE
	7208.27	Of a thickness of less than 3 mm:	
	7208.27.10	Of a thickness of less than 2 mm	TNE
	7208.27.90	Other	TNE
		- Other, in coils, not further worked than hot-rolled:	
	7208.36.00	Of a thickness exceeding 10 mm	TNE
	7208.37.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	TNE
	7208.38.00	Of a thickness of 3 mm or more but less than 4.75 mm	TNE
	7208.39.00	Of a thickness of less than 3 mm	TNE
	7208.40.00	- Not in coils, not further worked than hot-rolled, with patterns in relief	TNE
		- Other, not in coils, not further worked than hot-rolled:	
	7208.51.00	Of a thickness exceeding 10 mm	TNE
	7208.52.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	TNE
	7208.53.00	Of a thickness of 3 mm or more but less than 4.75 mm	TNE
	7208.54.00	Of a thickness of less than 3 mm	TNE
	7208.90.00	- Other	TNE
72.09		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated.	
		- In coils, not further worked than cold-rolled (cold-reduced):	
	7209.15.00	Of a thickness of 3 mm or more	TNE
	7209.16.00	Of a thickness exceeding 1 mm but less than 3 mm	TNE
	7209.17.00	Of a thickness of 0.5 mm or more but not exceeding 1 mm	TNE
	7209.18	Of a thickness of less than 0.5 mm:	
	7209.18.10	Tin-mill blackplate	TNE
		Other:	
	7209.18.91	Containing by weight less than 0.6 % of carbon and of a thickness of 0.17 mm or less	TNE
	7209.18.99	Other	TNE
		- Not in coils, not further worked than cold-rolled (cold-reduced):	
	7209.25.00	Of a thickness of 3 mm or more	TNE
	7209.26.00	Of a thickness exceeding 1 mm but less than 3 mm	TNE
	7209.27.00	Of a thickness of 0.5 mm or more but not exceeding 1 mm	TNE
	7209.28	Of a thickness of less than 0.5 mm:	
	7209.28.10	Containing by weight less than 0.6 $\%$ of carbon and of a thickness of 0.17 mm or less	TNE
	7209.28.90	Other	TNE

Description

Heading Subheading

Heading	Subheading	Description	Unit of	Custon	ns Duty	Excise Duty
(1)	(2)	(3)	Quantity (4)	Full (5)	Pref (6)	(7)
	7209.90	- Other:				
	7209.90.10	Corrugated	TNE			
	7209.90.90	Other	TNE			
72.10		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated.				
		- Plated or coated with tin:				
	7210.11	Of a thickness of 0.5 mm or more:				
	7210.11.10	Containing by weight 0.6 % or more of carbon	TNE			
	7210.11.90	Other	TNE			
	7210.12	Of a thickness of less than 0.5 mm:				
	7210.12.10	Containing by weight 0.6 % or more of carbon	TNE			
	7210.12.90	Other	TNE			
	7210.20	- Plated or coated with lead, including terne-plate:				
	7210.20.10	Containing by weight less than 0.6 $\%$ of carbon and of a thickness of 1.5 mm or less	TNE			
	7210.20.90	Other	TNE			
	7210.30	- Electrolytically plated or coated with zinc:				
		Containing by weight less than 0.6 % of carbon:				
	7210.30.11	Of a thickness not exceeding 1.2 mm	TNE			
	7210.30.12	Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm	TNE			
	7210.30.19	Other	TNE			
		Other:				
	7210.30.91	Of a thickness not exceeding 1.2 mm	TNE			
	7210.30.99	Other	TNE			
		- Otherwise plated or coated with zinc:				
	7210.41	Corrugated:				
		Containing by weight less than 0.6 % of carbon:				
	7210.41.11	Of a thickness not exceeding 1.2 mm	TNE			
	7210.41.12	Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm	TNE			
	7210.41.19	Other	TNE			
		Other:				
	7210.41.91	Of a thickness not exceeding 1.2 mm	TNE			
	7210.41.99	Other	TNE			
	7210.49	Other:				
		Containing by weight less than 0.6 % of carbon:				
	7210.49.11	Coated with zinc by the iron-zinc alloyed coating method, containing by weight less than 0.04 % of carbon and of a thickness not exceeding 1.2 mm	TNE			
	7210.49.12	Other, of a thickness not exceeding 1.2 mm	TNE			
	7210.49.13	Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm	TNE			
	7210 40 10	Other	TNE			

				72.10 – 72.11 Section			
Heading	Subheading	Description	Unit of		ms Duty	Excise Duty	
(1)	(2)	(3)	Quantity (4)	Full (5)	Pref (6)	(7)	
		Other:					
	7210.49.91	Of a thickness not exceeding 1.2 mm	TNE				
	7210.49.99	Other	TNE				
	7210.50.00	- Plated or coated with chromium oxides or with chromium and chromium oxides	TNE				
		- Plated or coated with aluminium:					
	7210.61	Plated or coated with aluminium-zinc alloys:					
		Containing by weight less than 0.6 % of carbon:					
	7210.61.11	Of a thickness not exceeding 1.2 mm	TNE				
	7210.61.12	Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm	TNE				
	7210.61.19	Other	TNE				
		Other:					
	7210.61.91	Of a thickness not exceeding 1.2 mm	TNE				
	7210.61.99	Other	TNE				
	7210.69	Other:					
		Containing by weight less than 0.6 % of carbon:					
	7210.69.11	Of a thickness not exceeding 1.2 mm	TNE				
	7210.69.12	Of a thickness exceeding 1.2 mm but not exceeding 1.5 mm	TNE				
	7210.69.19	Other	TNE				
		Other:					
	7210.69.91	Of a thickness not exceeding 1.2 mm	TNE				
	7210.69.99	Other	TNE				
	7210.70	- Painted, varnished or coated with plastics:					
	7210.70.10	Containing by weight less than 0.6 % of carbon and of a thickness of 1.5 mm or less	TNE				
	7210.70.90	Other	TNE				
	7210.90	- Other:					
	7210.90.10	Containing by weight less than 0.6 $\%$ of carbon and of a thickness of 1.5 mm or less	TNE				
	7210.90.90	Other	TNE				
72.11		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.					
		- Not further worked than hot-rolled:					
	7211.13	Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief:					
	7211.13.10	Hoop and strip, of a width exceeding 150 mm but not exceeding 400 mm	TNE				
	7211.13.90	Other	TNE				
	7211.14	Other, of a thickness of 4.75 mm or more:					

Heading	Subheading	Description	Unit of Quantity	Custon Full	ns Duty Pref	Excise Duty
(1)	(2)	(3)	(4)	(5)	(6)	(7)
						,
		Of a thickness of 4.75 mm or more but not exceeding 10 mm:				
	7211.14.11	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7211.14.12	Corrugated, containing by weight less than 0.6 % of carbon	TNE			
	7211.14.19	Other	TNE			
		Of a thickness of more than 10 mm:				
	7211.14.21	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7211.14.22	Corrugated, containing by weight less than 0.6 % of carbon	TNE			
	7211.14.29	Other	TNE			
	7211.19	Other:				
		Of a thickness of 2 mm or more but less than 4.75 mm:				
	7211.19.11	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7211.19.12	Corrugated, containing by weight less than 0.6 % of carbon	TNE			
	7211.19.19	Other	TNE			
		Of a thickness of less than 2 mm:				
	7211.19.21	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7211.19.22	Corrugated, containing by weight less than 0.6 % of carbon	TNE			
	7211.19.23	Other, of a thickness of 0.17 mm or less	TNE			
	7211.19.29	Other	TNE			
		- Not further worked than cold-rolled (cold-reduced):				
	7211.23	Containing by weight less than 0.25 % of carbon:				
	7211.23.10	Corrugated	TNE			
	7211.23.20	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7211.23.30	Other, of a thickness of 0.17 mm or less	TNE			
	7211.23.90	Other	TNE			
	7211.29	Other:				
	7211.29.10	Corrugated	TNE			
	7211.29.20	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7211.29.30	Other, of a thickness of 0.17 mm or less	TNE			
	7211.29.90	Other	TNE			
	7211.90	- Other:				
	7211.90.10	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7211.90.20	Corrugated, containing by weight less than 0.6 % of carbon	TNE			
	7211.90.30	Other, of a thickness of 0.17 mm or less	TNE			
	7211.90.90	Other	TNE			
72.12		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated.				
	7212.10	- Plated or coated with tin:				
	7212.10.10	Hoop and strip, of a width not exceeding 400 mm	TNE			
		Other:				
	7212.10.91	Containing by weight less than 0.6 % of carbon	TNE			
	7212.10.99	Other	TNE			

					72.	.12 Section XV
Heading	Subheading	Description	Unit of		ns Duty	Excise Duty
(1)	(2)	(3)	Quantity (4)	Full (5)	Pref (6)	(7)
	7212.20	- Electrolytically plated or coated with zinc:				
	7212.20.10	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7212.20.20	Other, containing by weight less than 0.6 % of carbon and of a thickness of 1.5 mm or less	TNE			
	7212.20.90	Other	TNE			
	7212.30	- Otherwise plated or coated with zinc:				
	7212.30.10	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7212.30.20	Other, containing by weight less than 0.6 $\%$ of carbon and of a thickness of 1.5 mm or less	TNE			
		Other:				
	7212.30.91	Coated with zinc by the iron-zinc alloyed coating method, containing by weight less than 0.04 % of carbon	TNE			
	7212.30.99	Other	TNE			
	7212.40	- Painted, varnished or coated with plastics:				
	7212.40.10	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7212.40.20	Other, containing by weight less than 0.6 $\%$ of carbon and of a thickness of 1.5 mm or less	TNE			
	7212.40.90	Other	TNE			
	7212.50	- Otherwise plated or coated:				
		Plated or coated with chromium oxides or with chromium and chromium oxides:				
	7212.50.11	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7212.50.12	Other, containing by weight less than 0.6 $\%$ of carbon and of a thickness of 1.5 mm or less	TNE			
	7212.50.19	Other	TNE			
		Plated or coated with aluminium-zinc alloys:				
	7212.50.21	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7212.50.22	Other, containing by weight less than 0.6 $\%$ of carbon and of a thickness of 1.5 mm or less	TNE			
	7212.50.29	Other	TNE			
		Other:				
	7212.50.91	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7212.50.92	Other, containing by weight less than 0.6 $\%$ of carbon and of a thickness of 1.5 mm or less	TNE			
	7212.50.99	Other	TNE			
	7212.60	- Clad:				
	7212.60.10	Hoop and strip, of a width not exceeding 400 mm	TNE			
	7212.60.20	Other, containing by weight less than 0.6 $\%$ of carbon and of a thickness of 1.5 mm or less	TNE			
	7212.60.90	Other	TNE			

(1) (2) (3) (4) 72.13 Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel. 7213.10.00 - Containing indentations, ribs, grooves or other deformations produced during the rolling process 7213.20.00 - Other, of free-cutting steel - Other: 7213.91 Of circular cross-section measuring less than 14 mm in diameter: 7213.91.10 Of a kind used for producing soldering sticks TNE 7213.91.20 Of a kind used for concrete reinforcement (rebars) TNE 7213.91.90 Other: 7213.99.10 Of a kind used for producing soldering sticks TNE 7213.99.20 Of a kind used for concrete reinforcement (rebars) TNE 7213.99.20 Of a kind used for concrete reinforcement (rebars) TNE 7213.99.20 Other TNE 7214.10 Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 - Forged: Containing by weight less than 0.6 % of carbon: 7214.10.11 Of circular cross-section TNE 7214.10.29 Other Other: 7214.10.29 Other 7214.10.29 Other 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE	Heading	Subheading	Description	Unit of
72.13 Bars and rods, hot-rolled, in irregularly wound coils, of iron or nonalloy steel. 7213.10.00 - Containing indentations, ribs, grooves or other deformations produced during the rolling process 7213.20.00 - Other, of free-cutting steel - Other: 7213.91 Of circular cross-section measuring less than 14 mm in diameter: 7213.91.10 Of a kind used for producing soldering sticks TNE 7213.91.20 Other TNE 7213.91.90 Other 7213.99.10 Other: 7213.99.10 Of a kind used for producing soldering sticks TNE 7213.99.10 Of a kind used for producing soldering sticks TNE 7213.99.20 Of a kind used for producing soldering sticks TNE 7213.99.90 Other 7213.99.90 Other 7214.10 Other TNE 7214.10 Other TNE 7214.10.11 Of circular cross-section TNE 7214.10.19 Other 7214.10.21 Other 7214.10.29 Other 7214.10.29 Other 7214.10.29 Other 7214.20.30 Other TNE 7214.20.31 Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.33 Other 7214.20.39 Other 7214.20.39 Other TNE	(1)	(2)	(3)	Quantity (4)
alloy steel. 7213.10.00 - Containing indentations, ribs, grooves or other deformations produced during the rolling process 7213.20.00 - Other, of free-cutting steel - Other: 7213.91 Of circular cross-section measuring less than 14 mm in diameter: 7213.91.00 Of a kind used for producing soldering sticks TNE 7213.91.20 Of a kind used for concrete reinforcement (rebars) TNE 7213.91.20 Other 7213.99 Other: 7213.99 Of a kind used for concrete reinforcement (rebars) TNE 7213.99.20 Of a kind used for concrete reinforcement (rebars) TNE 7213.99.90 Other 7213.99.90 Other 7214.10 Other 7214.10 Of a kind used for one non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 Of circular cross-section TNE 7214.10.21 Of circular cross-section TNE 7214.10.21 Other 7214.20 Of circular cross-section: 7214.20 Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE				
during the rolling process 7213.20.00 - Other, of free-cutting steel - Other: 7213.91 Of circular cross-section measuring less than 14 mm in diameter: 7213.91.10 Of a kind used for producing soldering sticks TNE 7213.91.20 Other TNE 7213.91 Other 7213.99 Other: 7213.99 Other: 7213.99.10 Of a kind used for producing soldering sticks TNE 7213.99.20 Of a kind used for producing soldering sticks TNE 7213.99.20 Other TNE 7213.99.90 Other TNE 7214.10 Other TNE 7214.10 Other Doubled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 Other TNE 7214.10.11 Of circular cross-section TNE 7214.10.21 Other TNE 7214.10.22 Other 7214.10.23 Other 7214.20 Other TNE 7214.20 Other TNE 7214.20 Other TNE 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.31 Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.31 Other TNE	72.13		•	
- Other: 7213.91 Of circular cross-section measuring less than 14 mm in diameter: 7213.91.10 Of a kind used for producing soldering sticks TNE 7213.91.20 Other 7213.91.00 Other 7213.99 Other: 7213.99 Other: 7213.99.10 Of a kind used for producing soldering sticks TNE 7213.99.20 Of a kind used for producing soldering sticks TNE 7213.99.20 Other TNE 7213.99.20 Other TNE 7214.10 Other TNE 7214.10.11 Of circular cross-section TNE 7214.10.21 Other TNE 7214.10.21 Other TNE 7214.20 Other TNE		7213.10.00		TNE
7213.91 Of circular cross-section measuring less than 14 mm in diameter: 7213.91.10 Of a kind used for producing soldering sticks TNE 7213.91.20 Other TNE 7213.91.90 Other: TNE 7213.99 Other: TNE 7213.99.10 Of a kind used for producing soldering sticks TNE 7213.99.20 Of a kind used for concrete reinforcement (rebars) TNE 7213.99.90 Other TNE 7214.10 Other TNE 7214.10 Forged:		7213.20.00	- Other, of free-cutting steel	TNE
7213.91.10 Of a kind used for producing soldering sticks 7213.91.20 Of a kind used for concrete reinforcement (rebars) 7213.91.90 Other 7213.99 Other: 7213.99.10 Of a kind used for producing soldering sticks 7213.99.20 Of a kind used for concrete reinforcement (rebars) 7213.99.90 Other 7213.99.90 Other 7214.10 -Forged: Containing by weight less than 0.6 % of carbon: 7214.10.11 Of circular cross-section 7214.10.21 Of circular cross-section 7214.10.21 Of circular cross-section 7214.10.29 Other 7214.20 Other -			- Other:	
7213.91.20 Other 7213.91.90 Other 7213.99 Other: 7213.99.10 Of a kind used for producing soldering sticks 7213.99.20 Of a kind used for concrete reinforcement (rebars) 7213.99.20 Other 7213.99.90 Other 7214.10 Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 Other 7214.10.11 Of circular cross-section 7214.10.19 Other 7214.10.21 Other 7214.10.22 Other 7214.10.29 Other 7214.20 Other		7213.91	Of circular cross-section measuring less than 14 mm in diameter:	
7213.91.90 Other: 7213.99 Other: 7213.99.10 Of a kind used for producing soldering sticks TNE 7213.99.20 Of a kind used for concrete reinforcement (rebars) TNE 7213.99.90 Other TNE 72.14 Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 - Forged:		7213.91.10	Of a kind used for producing soldering sticks	TNE
7213.99 Other: 7213.99.10 Of a kind used for producing soldering sticks 7213.99.20 Of a kind used for concrete reinforcement (rebars) TNE 7213.99.90 Other TNE 72.14 Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 - Forged:		7213.91.20	Of a kind used for concrete reinforcement (rebars)	TNE
7213.99.10 Of a kind used for producing soldering sticks 7213.99.20 Of a kind used for concrete reinforcement (rebars) 7213.99.90 Other 72.14 Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 - Forged:		7213.91.90	Other	TNE
7213.99.20 Of a kind used for concrete reinforcement (rebars) 7213.99.90 Other 72.14 Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 -Forged: Containing by weight less than 0.6 % of carbon: 7214.10.11 Of circular cross-section 7214.10.19 Other Other: 7214.10.21 Of circular cross-section 7214.10.22 Other 7214.20 Other 7214.20 Other 7214.20 Other Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other TNE		7213.99	Other:	
72.14 Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 - Forged:		7213.99.10	Of a kind used for producing soldering sticks	TNE
72.14 Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 - Forged: Containing by weight less than 0.6 % of carbon: 7214.10.11 Of circular cross-section TNE 7214.10.19 Other Other: 7214.10.21 Of circular cross-section TNE 7214.10.29 Other TNE 7214.20 - Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other TNE		7213.99.20	Of a kind used for concrete reinforcement (rebars)	TNE
than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling. 7214.10 - Forged: Containing by weight less than 0.6 % of carbon: 7214.10.11 Of circular cross-section TNE 7214.10.19 Other Other: 7214.10.21 Of circular cross-section TNE 7214.10.29 Other 7214.20 Other TNE 7214.20 Other TNE 7214.20 Of circular cross-section TNE 7214.20 Of circular cross-section: Of circular cross-section: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other TNE		7213.99.90	Other	TNE
- Containing by weight less than 0.6 % of carbon: 7214.10.11 Of circular cross-section TNE 7214.10.19 Other Other: 7214.10.21 Of circular cross-section TNE 7214.10.29 Other TNE 7214.20 - Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: - Containing by weight less than 0.6 % of carbon: - Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other TNE	72.14		than forged, hot-rolled, hot-drawn or hot-extruded, but including	
7214.10.11 Of circular cross-section TNE 7214.10.19 Other Other: 7214.10.21 Of circular cross-section TNE 7214.10.29 Other TNE 7214.20 Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other TNE		7214.10	- Forged:	
7214.10.19 Other Other: 7214.10.21 Of circular cross-section TNE 7214.10.29 Other 7214.20 - Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other Other:			Containing by weight less than 0.6 % of carbon:	
Other: 7214.10.21 Of circular cross-section TNE 7214.10.29 Other TNE 7214.20 - Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other TNE		7214.10.11	Of circular cross-section	TNE
7214.10.21 Of circular cross-section TNE 7214.10.29 Other Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other TNE		7214.10.19	Other	TNE
7214.10.29 Other Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other Other:			Other:	
- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other Other:		7214.10.21	Of circular cross-section	TNE
during the rolling process or twisted after rolling: Containing by weight less than 0.6 % of carbon: Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other Other:		7214.10.29	Other	TNE
Of circular cross-section: 7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other Other:		7214.20		
7214.20.31 Of a kind used for concrete reinforcement (rebars) TNE 7214.20.39 Other Other:			Containing by weight less than 0.6 % of carbon:	
7214.20.39 Other TNE Other:			Of circular cross-section:	
Other:		7214.20.31	Of a kind used for concrete reinforcement (rebars)	TNE
		7214.20.39	Other	TNE
			Other:	
7214.20.41 Of a kind used for concrete reinforcement (rebars) TNE		7214.20.41	Of a kind used for concrete reinforcement (rebars)	TNE
7214.20.49 Other TNE		7214.20.49	Other	TNE
Other:			Other:	
Of circular cross-section:			Of circular cross-section:	
7214.20.51 Of a kind used for concrete reinforcement (rebars) TNE		7214.20.51	Of a kind used for concrete reinforcement (rebars)	TNE
7214.20.59 Other TNE		7214.20.59	Other	TNE
Other:			Other:	
7214.20.61 Of a kind used for concrete reinforcement (rebars)		7214.20.61	Of a kind used for concrete reinforcement (rebars)	TNE
7214.20.69 Other TNE		7214.20.69	Other	TNE
7214.30.00 - Other, of free-cutting steel TNE		7214.30.00	- Other, of free-cutting steel	TNE

Customs Duty
Full Pref
(5) (6)

Full

Excise Duty

(7)

Excise Duty

(7)

Customs Duty Full Pref (5) (6)

Unit of

Heading	Subneading	Description	Quantity
(1)	(2)	(3)	(4)
		- Other:	
	7214.91	Of rectangular (other than square) cross-section:	
	7214.91.10	Containing by weight less than 0.6 % of carbon	TNE
	7214.91.20	Containing by weight 0.6 % or more of carbon	TNE
	7214.99	- Other:	TNE
	7214.99.10	Containing by weight 0.6 % or more of carbon, other than of circular cross-section	TNE
	7214.99.90	Other	TNE
72.15		Other bars and rods of iron or non-alloy steel.	
	7215.10.00	- Of free-cutting steel, not further worked than cold-formed or cold-finished	TNE
	7215.50	- Other, not further worked than cold-formed or cold-finished:	
	7215.50.10	Containing by weight 0.6 $\%$ or more of carbon, other than of circular cross-section	TNE
		Other:	
	7215.50.91	Of a kind used for concrete reinforcement (rebars)	TNE
	7215.50.99	Other	TNE
	7215.90	- Other:	
	7215.90.10	Of a kind used for concrete reinforcement (rebars)	TNE
	7215.90.90	Other	TNE
72.16		Angles, shapes and sections of iron or non-alloy steel.	
	7216.10.00	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	TNE
		- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:	
	7216.21.00	L sections	TNE
	7216.22.00	T sections	TNE
		- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of $80\ mm$ or more:	
	7216.31.00	U sections	TNE
	7216.32.00	I sections	TNE
	7216.33.00	H sections	TNE
	7216.40.00	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	TNE
	7216.50	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:	
	7216.50.10	Of a height of less than 80 mm	TNE
	7216.50.90	Other	TNE
		- Angles, shapes and sections, not further worked than cold-formed or cold-finished:	
	7216.61.00	Obtained from flat-rolled products	TNE
	7216.69.00	Other	TNE

Description

Heading Subheading

72.16 – 72.17 Section XV

Heading	Subheading	Description	Unit of		ns Duty	Excise Duty
(1)	(2)	(3)	Quantity (4)	Full (5)	Pref (6)	(7)
		- Other:				
	7216.91.00	Cold-formed or cold-finished from flat-rolled products	TNE			
	7216.99.00	Other	TNE			
72.17		Wire of iron or non-alloy steel.				
	7217.10	- Not plated or coated, whether or not polished:				
	7217.10.10	Containing by weight less than 0.25 % of carbon	TNE			
		Containing by weight 0.25 % or more but less than 0.6 % of carbon:				
	7217.10.22	Bead wire; reed wire; prestressed concrete steel wire; free-cutting steel wire	TNE			
	7217.10.29	Other	TNE			
		Containing by weight 0.6 % or more of carbon:				
	7217.10.31	Spokes wire; bead wire; reed wire; prestressed concrete steel wire; free-cutting steel wire	TNE			
	7217.10.39	Other	TNE			
	7217.20	- Plated or coated with zinc:				
	7217.20.10	Containing by weight less than 0.25 % carbon	TNE			
	7217.20.20	Containing by weight 0.25 % or more but less than 0.45 % of carbon	TNE			
		Containing by weight 0.45 % or more of carbon:				
	7217.20.91	Steel core wire of a kind used for steel reinforced aluminium conductors (ACSR)	TNE			
	7217.20.99	Other	TNE			
	7217.30	- Plated or coated with other base metals:				
		Containing by weight less than 0.25 % of carbon:				
	7217.30.11	Plated or coated with tin	TNE			
	7217.30.19	Other	TNE			
		Containing by weight 0.25 $\%$ or more of carbon but less than 0.6 $\%$ of carbon:				
	7217.30.21	Plated or coated with tin	TNE			
	7217.30.29	Other	TNE			
		Containing by weight 0.6 % or more of carbon:				
	7217.30.31	Copper alloy coated steel wire of a kind used in the manufacture of pneumatic rubber tyres (bead wire)	TNE			
	7217.30.32	Other, plated or coated with tin	TNE			
	7217.30.39	Other	TNE			
	7217.90	- Other:				
	7217.90.10	Containing by weight less than 0.25 % of carbon	TNE			
	7217.90.90	Other	TNE			

Heading	Subheading	Description	Unit of	Customs Duty		Excise Duty
			Quantity	Full	Pref	
(1)	(2)	(3)	(4)	(5)	(6)	(7)

SUB-CHAPTER III STAINLESS STEEL

72.18		Stainless steel in ingots or other primary forms; semi-finished products of stainless steel.	
	7218.10.00	- Ingots and other primary forms	TNE
		- Other:	
	7218.91.00	Of rectangular (other than square) cross-section	TNE
	7218.99.00	Other	TNE
72.19		Flat-rolled products of stainless steel, of a width of 600 mm or more.	
72.17		- Not further worked than hot-rolled, in coils:	
	7219.11.00		TNE
	7219.12.00	•	TNE
	7219.13.00		TNE
		- Of a thickness of less than 3 mm	TNE
		- Not further worked than hot-rolled, not in coils:	
	7219.21.00		TNE
	7219.22.00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	TNE
		Of a thickness of 3 mm or more but less than 4.75 mm	TNE
	7219.24.00	Of a thickness of less than 3 mm	TNE
		- Not further worked than cold-rolled (cold-reduced):	
	7219.31.00	Of a thickness of 4.75 mm or more	TNE
	7219.32.00	Of a thickness of 3 mm or more but less than 4.75 mm	TNE
	7219.33.00	Of a thickness exceeding 1 mm but less than 3 mm	TNE
	7219.34.00	Of a thickness of 0.5 mm or more but not exceeding 1 mm	TNE
	7219.35.00	Of a thickness of less than 0.5 mm	TNE
	7219.90.00	- Other	TNE
72.20		Flat-rolled products of stainless steel, of a width of less than 600 mm.	
		- Not further worked than hot-rolled:	
	7220.11	Of a thickness of 4.75 mm or more:	
	7220.11.10	Hoop and strip, of a width not exceeding 400 mm	TNE
	7220.11.90	Other	TNE
	7220.12	Of a thickness of less than 4.75 mm:	
	7220.12.10	Hoop and strip, of a width not exceeding 400 mm	TNE
	7220.12.90	Other	TNE
	7220.20	- Not further worked than cold-rolled (cold-reduced):	
	7220.20.10	Hoop and strip, of a width not exceeding 400 mm	TNE
	7220.20.90	Other	TNE
	7220.90	- Other:	
	7220.90.10	Hoop and strip, of a width not exceeding 400 mm	TNE
	7220.90.90	Other	TNE

Heading	Subheading	Description	Unit of Quantity	Custon Full	ns Duty Pref	Excise Duty
(1)	(2)	(3)	(4)	(5)	(6)	(7)
72.21	7221.00.00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.	TNE			
72.22		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.				
		- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:				
	7222.11.00	Of circular cross-section	TNE			
	7222.19.00	Other	TNE			
	7222.20	- Bars and rods, not further worked than cold-formed or cold-finished:				
	7222.20.10	Of circular cross-section	TNE			
	7222.20.90	Other	TNE			
	7222.30	- Other bars and rods:				
	7222.30.10	Of circular cross-section	TNE			
	7222.30.90	Other	TNE			
	7222.40	- Angles, shapes and sections:				
	7222.40.10	Not further worked than hot-rolled, hot-drawn or extruded	TNE			
	7222.40.90	Other	TNE			
2.23	7223.00.00	Wire of stainless steel.	TNE			
		SUB-CHAPTER IV				
		OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL				
72.24		Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.				
	7224.10.00	- Ingots and other primary forms	TNE			
	7224.90.00		TNE			
72.25		Flat-rolled products of other alloy steel, of a width of 600 mm or more.				
		- Of silicon-electrical steel:				
	7225.11.00	Grain-oriented	TNE			
	7225.19.00	Other	TNE			
	7225.30	- Other, not further worked than hot-rolled, in coils:				
	7225.30.10	Of high speed steel	TNE			
			TO TO			
	7225.30.90	Other	TNE			
	7225.30.90 7225.40	- Other- Other, not further worked than hot-rolled, not in coils:	TNE			
	7225.40		TNE			
	7225.40	Other, not further worked than hot-rolled, not in coils:- Of high speed steel				
	7225.40 7225.40.10	Other, not further worked than hot-rolled, not in coils:- Of high speed steel	TNE			
	7225.40 7225.40.10 7225.40.90 7225.50	Other, not further worked than hot-rolled, not in coils:- Of high speed steel- Other	TNE			

				72.25 – 72.26 Section XV			
Heading	Subheading	Description	Unit of	Custon		Excise Duty	
(1)	(2)	(3)	Quantity (4)	Full (5)	Pref (6)	(7)	
		- Other:					
	7225.91	Electrolytically plated or coated with zinc:					
	7225.91.10	Of high speed steel	TNE				
	7225.91.90	Other	TNE				
	7225.92	Otherwise plated or coated with zinc:					
	7225.92.10	Of high speed steel	TNE				
	7225.92.90	Other	TNE				
	7225.99	Other:					
	7225.99.10	Of high speed steel	TNE				
	7225.99.90	Other	TNE				
72.26		Flat-rolled products of other alloy steel, of a width of less than 600 mm.					
		- Of silicon-electrical steel:					
	7226.11	Grain-oriented:					
	7226.11.10	Hoop and strip, of a width not exceeding 400 mm	TNE				
	7226.11.90	Other	TNE				
	7226.19	Other:					
	7226.19.10	Hoop and strip, of a width not exceeding 400 mm	TNE				
	7226.19.90	Other	TNE				
	7226.20	- Of high speed steel:					
	7226.20.10	Hoop and strip, of a width not exceeding 400 mm	TNE				
	7226.20.90	Other	TNE				
		- Other:					
	7226.91	Not further worked than hot-rolled:					
	7226.91.10	Hoop and strip, of a width not exceeding 400 mm	TNE				
	7226.91.90	Other	TNE				
	7226.92	Not further worked than cold-rolled (cold-reduced):					
	7226.92.10	Hoop and strip, of a width not exceeding 400 mm	TNE				
	7226.92.90	Other	TNE				
	7226.99	Other:					
		Hoop and strip, of a width not exceeding 400 mm:					
	7226.99.11	Plated or coated with zinc	TNE				
	7226.99.19	Other	TNE				
		Other:					
	7226.99.91	Plated or coated with zinc	TNE				
	7226.99.99	Other	TNE				

Heading	Subheading	Description	Unit of		ns Duty	Excise Duty
(1)	(2)	(3)	Quantity (4)	Full (5)	Pref (6)	(7)
72.27		Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.				
	7227.10.00	- Of high speed steel	TNE			
	7227.20.00	- Of silico-manganese steel	TNE			
	7227.90.00	- Other	TNE			
72.28		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.				
	7228.10	- Bars and rods, of high speed steel:				
	7228.10.10	Of circular cross-section	TNE			
	7228.10.90	Other	TNE			
	7228.20	- Bars and rods, of silico-manganese steel:				
		Of circular cross-section:				
	7228.20.11	Not further worked than hot-rolled, hot-drawn or extruded	TNE			
	7228.20.19	Other	TNE			
		Other:				
	7228.20.91	Not further worked than hot-rolled, hot-drawn or extruded	TNE			
	7228.20.99	Other	TNE			
	7228.30	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:				
	7228.30.10	Of circular cross-section	TNE			
	7228.30.90	Other	TNE			
	7228.40	- Other bars and rods, not further worked than forged:				
	7228.40.10	Of circular cross-section	TNE			
	7228.40.90	Other	TNE			
	7228.50	- Other bars and rods, not further worked than cold-formed or cold-finished:				
	7228.50.10	Of circular cross-section	TNE			
	7228.50.90	Other	TNE			
	7228.60	- Other bars and rods:				
	7228.60.10	Of circular cross-section	TNE			
	7228.60.90	Other	TNE			
	7228.70	- Angles, shapes and sections:				
	7228.70.10	Not further worked than hot-rolled, hot-drawn or extruded	TNE			
	7228.70.90	Other	TNE			
	7228.80	- Hollow drill bars and rods:				
		Containing by weight 0.6 % or more of carbon:				
	7228.80.11	Of circular cross-section	TNE			
	7228.80.19	Other	TNE			
	7228.80.90	Other	TNE			

					12.	29 Section Av
Heading	Subheading	Description	Unit of Quantity	Custor Full	ns Duty Pref	Excise Duty
(1)	(2)	(3)	(4)	(5)	(6)	(7)
72.29		Wire of other alloy steel.				
	7229.20.00	- Of silico-manganese steel	TNE			
	7229.90	- Other:				
	7229.90.10	Of high speed steel	TNE			
	7229.90.90	Other	TNE			